
Material Safety Data Sheet

1. Identification of the Substance/Preparation and of the Company

1.	Product Name	NEOVAC SA-H	F		
	Product Code	00105 MORESCO Corporation. 5-5-3, Minatojima-minamimachi, Chuo-ku, Kobe-city, Hyogo, Japan			
	Manufacturer				
	Address				
	Emergency Telephone Number	Functional Fluids Sales Depar	tment	Sales Section	
		Tel: 81-6-6262-3310	FAX: 81-6-6	262-3327	
		Functional Fluids Sales Depar	tment	Tokyo Sales Section	
		Tel: 81-3-3273-7526	FAX: 81-3-3	281-7756	
		Lubricating Oils Manufacturir	ng Departmer	nt Technology Section	
		Tel: 81-791-42-2100	FAX: 81-791	-43-3179	
		Customer Center			
		Tel: 81-6-6262-3385	FAX: 81-6-6	262-3327	
		Email Address: customercente	er@moresco.	co.jp	
	Recommended Use and	Vacuum Pump Oil			
	Restrictions on Use				
	GHS Classification:				
	Physical Hazards	Not applicable to	the GHS Cla	assification	
	Physical Hazards Health Hazards	Not applicable to Acute Toxicity –		assification	Category 5
	-		Dermal		
	Health Hazards	Acute Toxicity – The Aquatic Envi	Dermal		
	Health Hazards Environmental Hazards	Acute Toxicity – The Aquatic Envi	Dermal		Category 5 Category 4
	Health Hazards Environmental Hazards Hazardous to Aquatic Envi	Acute Toxicity – The Aquatic Envi	Dermal		
	Health Hazards Environmental Hazards Hazardous to Aquatic Envi Label Elements:	Acute Toxicity – The Aquatic Envi	Dermal		
	Health Hazards Environmental Hazards Hazardous to Aquatic Envi Label Elements: Pictograms/Symbols	Acute Toxicity – The Aquatic Envi ronment	Dermal		
	Health Hazards Environmental Hazards Hazardous to Aquatic Envi Label Elements: Pictograms/Symbols Signal Word	Acute Toxicity – The Aquatic Envi ronment None Warning	Dermal ironment-Loi h skin	ng-term Hazard	
	Health Hazards Environmental Hazards Hazardous to Aquatic Envi Label Elements: Pictograms/Symbols Signal Word	Acute Toxicity – The Aquatic Envi ronment None Warning May be harmful in contact wit	Dermal ironment-Loi h skin	ng-term Hazard	
	Health Hazards Environmental Hazards Hazardous to Aquatic Envi Label Elements: Pictograms/Symbols Signal Word Hazard Statements	Acute Toxicity – The Aquatic Envi ronment None Warning May be harmful in contact wit May cause long lasting harmfu	Dermal ironment-Lor h skin ıl effects to a	ng-term Hazard	
	Health Hazards Environmental Hazards Hazardous to Aquatic Envi Label Elements: Pictograms/Symbols Signal Word Hazard Statements	Acute Toxicity – The Aquatic Envi ronment None Warning May be harmful in contact wit May cause long lasting harmfu [Prevention]	Dermal ironment-Lor h skin ıl effects to a	ng-term Hazard	
	Health Hazards Environmental Hazards Hazardous to Aquatic Envi Label Elements: Pictograms/Symbols Signal Word Hazard Statements	Acute Toxicity – The Aquatic Environment None Warning May be harmful in contact wit May cause long lasting harmfu [Prevention] Avoid release to the environme	Dermal fronment-Lor h skin 11 effects to a ent.	ng-term Hazard quatic life	
	Health Hazards Environmental Hazards Hazardous to Aquatic Envi Label Elements: Pictograms/Symbols Signal Word Hazard Statements	Acute Toxicity – The Aquatic Envi ronment None Warning May be harmful in contact wit May cause long lasting harmfu [Prevention] Avoid release to the environme [Response]	Dermal fronment-Lor h skin 11 effects to a ent.	ng-term Hazard quatic life	

[Disposal]

Dispose of contents/container in accordance with regulations.

3.	Composition/Information on Ingredients		
	Distinction between Substance and Mixture :	Substance	
	Chemical Name/Generic Name :	Alkyldiphenylether, Lubricating oil add	litive
	Chemical Formula :	Not identified	
	Ingredient and Concentration	Alkyldiphenylether	Approx. 99%
		Lubricating oil additive	Approx. 1%

4. **First-Aid Measures** Inhalation: Remove victim to fresh air and let him rinse mouth thoroughly with water. Wrapping a blanket and the like around him to keep warm for a rest, call a doctor/physician immediately. Skin Contact: Rinse skin with soap and water. Eye Contact: Immediately rinse eyes with clean water for at least 15 minutes. Remove contact lenses if present. Continue rinsing. If eye irritation persists, get medical attention. Call a doctor/physician immediately. Do not induce vomiting. Ingestion: If affected, the mouth should be rinsed out thoroughly with water. Expected Acute and If swallowed, may suffer from diarrhea and vomiting. Delayed Symptoms, and May cause inflammation if in eyes. Most Important Symptoms/ May cause inflammation if on skin. Effects: May feel unwell if mist is inhaled.

5. Fire-Fighting Measures

Suitable Extinguishing Media	Foggy reinforcing agent, foam, powder, or carbon dioxide
Unsuitable Extinguishing Media	Jet water
Specific Hazards	Currently there is no useful information.
Specific Fire-Fighting Measures	Shut off the fire source.
	Use powder or carbon dioxide extinguishers at the beginning of fire.
	It is effective to intercept the air from a big fire with foam
	extinguishers. Use of water may cause spreading of fire.
	Cool the surrounding facilities with water spray.
	Evacuate non essential personnel around the fire.
Special Protective Actions for	Wearing protective glasses, protective clothing, and if necessary,
Fire-Fighting	respiratory protective equipment, start to fight fire on the windward
	side.

6.	Accidental Release Measures	
	Personal Precautions, Protective	If skin or eye contact is possible, wear protective equipment. If mist
	Equipment and Emergency Procedures	is produced, wear respiratory protective equipment to avoid
		inhalation.
	Environmental Precautions	Take up as much as possible to avoid soil contamination and water
		pollution.
		Avoid release to the environment.
	Collection/Neutralization	Eliminate the source of ignition of the surrounding.
	and Methods/Materials for Containment	In the case of a large amount: Dike ahead of liquid spill area to
		minimize migration and then sweep into an empty container for
		disposal in a safe place. After disposal, wash away with plenty of
		water. In doing so, take care to prevent the high concentration of
		wastes from entering public watercourses such as rivers.
		In the case of a small amount: Take up into an empty container by
		absorbing the spill with earth and sand or rags, and furthermore sop
		up with rags thoroughly.
	Prevention of Secondary Hazards	Remove all the ignition sources immediately. (Do not smoke nearby
		and keep away from sparks and flames.)
		Report to the related organs for help.
 7.	Handling and Storage	Report to the related organs for help.
 7.	Handling and Storage Handling:	Report to the related organs for help. Before repairing machinery with remnant oils on, remove them
 7.	0 0	
 7.	Handling:	Before repairing machinery with remnant oils on, remove them
7.	Handling:	Before repairing machinery with remnant oils on, remove them thoroughly in a safe place. Take precautionary measures against
7.	Handling:	Before repairing machinery with remnant oils on, remove them thoroughly in a safe place. Take precautionary measures against static discharge and wear electro conductive clothing and shoes.
7.	Handling:	Before repairing machinery with remnant oils on, remove them thoroughly in a safe place. Take precautionary measures against static discharge and wear electro conductive clothing and shoes. As vapors released from petroleum products are heavier than air,
7.	Handling:	Before repairing machinery with remnant oils on, remove them thoroughly in a safe place. Take precautionary measures against static discharge and wear electro conductive clothing and shoes. As vapors released from petroleum products are heavier than air, they are liable to stagnate.
7.	Handling:	Before repairing machinery with remnant oils on, remove them thoroughly in a safe place. Take precautionary measures against static discharge and wear electro conductive clothing and shoes. As vapors released from petroleum products are heavier than air, they are liable to stagnate. Due to it, attention should be paid to ventilation and fire.
7.	Handling:	Before repairing machinery with remnant oils on, remove them thoroughly in a safe place. Take precautionary measures against static discharge and wear electro conductive clothing and shoes. As vapors released from petroleum products are heavier than air, they are liable to stagnate. Due to it, attention should be paid to ventilation and fire. Handle at room temperatures, paying attention to moisture and to
7.	Handling:	Before repairing machinery with remnant oils on, remove them thoroughly in a safe place. Take precautionary measures against static discharge and wear electro conductive clothing and shoes. As vapors released from petroleum products are heavier than air, they are liable to stagnate. Due to it, attention should be paid to ventilation and fire. Handle at room temperatures, paying attention to moisture and to impurities not to mix with.
7.	Handling:	Before repairing machinery with remnant oils on, remove them thoroughly in a safe place. Take precautionary measures against static discharge and wear electro conductive clothing and shoes. As vapors released from petroleum products are heavier than air, they are liable to stagnate. Due to it, attention should be paid to ventilation and fire. Handle at room temperatures, paying attention to moisture and to impurities not to mix with. If skin or eye contact is possible, wear protective equipment. If mist
7.	Handling:	Before repairing machinery with remnant oils on, remove them thoroughly in a safe place. Take precautionary measures against static discharge and wear electro conductive clothing and shoes. As vapors released from petroleum products are heavier than air, they are liable to stagnate. Due to it, attention should be paid to ventilation and fire. Handle at room temperatures, paying attention to moisture and to impurities not to mix with. If skin or eye contact is possible, wear protective equipment. If mist is produced, wear respiratory protective equipment to avoid

Do not weld, heat, hole, and cut off the container. Residues may ignite involving explosion.

Refer to '8. Exposure Controls/Personal Protection'.

Full Ventilation SystemAvoiding ContactRefer to '10. Stability and Reactivity'.

Local Exhaust Ventilation/

Precautions for Safe Handling	Obtain special instructions before use.
	Do not handle until all safety precautions have been read an
	understood.
	Be cautious not to use any naked fire.
	As vapors released from petroleum products are heavier than a
	they are liable to stagnate.
	Wash hands thoroughly after handling.
	Use only outdoors or in a well-ventilated area.
	Do not eat, drink or smoke when using this product.
	Do not press an empty container. It may explode under pressure.
	Do not drink.
	Keep out of reach of children.
torage:	
Technical Measures	Avoid heat, sparks, flames, and static electricity.
	Keep container tightly closed.
Incompatible Materials	Refer to '10. Stability and Reactivity'.
Conditions for Safe Storage	Store in a well-ventilated area.
	Store avoiding exposure to direct sunlight.
	Store away from oxidizer.
	Store locked up.
Materials for Containers/Packaging	When replacing the container, use metal or glass container. So
	kinds of resin-treated container may melt.
	Use airtight, anti-breakage type containers.

8. Exposure Controls/Personal Protection

Permissible Concentration (Exposure Limit, a biological exposure index):		
Japan Society for Occupational Health (2010):		No description ¹⁾
ACGIH (2010):		No description ²⁾
Standards for Allowable Density	of Hazardous Substa	ances in Labor Operation Air: Not established
Engineering Controls:	When mist and v	apors are produced, seal off sources or provide exhaust
	ventilation. Faciliti	es for rinsing eyes and washing a body are required near the
	workplace.	
Personal Protective Equipment		
Respiratory Protection:	Wear appropriate re	espiratory protection.
Hand Protection:	If necessary, wear	oil-resistant protective gloves.
Eye Protection:	If diffusion is possi	ible, wear eye protection.
Skin and Body Protection:	If necessary, wear	protective clothing and face protection.
Hygienic Precautions:	Wash hands thorou	ghly after handling.
	Regularly inspect	protective equipment according to the inspection table of

protective equipment.

Do not eat, drink or smoke when using this product.

9. Physical and Chemical Properties

Physical State:	
Appearance	Liquid
Color	Light yellow
Odor	Slight Oily odor
pH	Not applicable
Melting/Freezing Point	Not applicable
Boiling Point	150°C/13Pa(0.1mmH)
Flash Point	$\geq 250^{\circ} C(COC)$
Explosive Range (Explosive Limits)	No data available
Vapor Pressure	No data available
Vapor Density (air=1)	No data available
Specific Gravity (Density)	$0.90 \text{g/cm}^3 (15^{\circ} \text{C})$
Solubility	Insoluble in water
Partition Coefficient: n-octanol/water	No data available
Auto-ignition Temperature	No data available
Pour point	≦-20°C
Volatility	None (at room temperatures)

10. Stability and Reactivity

Stability	Stable
Possibility of Hazardous Reactions	No data available (Hazardous reactions will not occur under normal
	use)
Conditions to Avoid	No data available (Hazardous reactions will not occur under normal
	use)
Incompatible Materials	Halogen, Strong Acid, Strong Alkali, Strong oxidizer
Hazardous Decomposition Products	None

11. Toxicological Information

Acute Toxicity:	
Oral	ATEmix(Oral) > 5000 mg/kg can be estimated (based on GHS)
	Classification).
Dermal	ATEmix(Dermal)>2000mg/kg.
	Classified into Acute Toxicity (Dermal) Category 5.
Inhalation	ATEmix(Inhalation) \geq 5mg/L can be estimated (based on GHS
	Classification).

Skin Corrosion/Irritation	Information is not classified as Skin Corrosion/Irritation.
Serious Eye Damage/Eye Irritation	Information is not classified as Serious Eye Damage/Eye Irritation.
Respiratory or Skin Sensitization	Information is not classified as Respiratory or Skin Sensitization.
Germ Cell Mutagenicity	Information is not classified as Germ Cell Mutagenicity.
Carcinogenicity	Information is not classified as Carcinogenicity.
Reproductive Toxicity	Information is not classified as Reproductive Toxicity.
STOT/Systemic Toxicity -	Information is not classified as Specific Target Organ Toxicity/
Single Exposure	Systemic Toxicity (Single Exposure).
STOT/Systemic Toxicity –	Information is not classified as Specific Target Organ Toxicity/
Repeated Exposure	Systemic Toxicity (Repeated Exposure).
Aspiration Hazard Aspiration Hazard	Information is not classified as Aspiration Hazard.

12. Ecological Information

EcotoxicityClassified into The Aquatic Environment- Long-term Hazard
Category 4.Persistence and DegradabilityNo information availableBioaccumulative PotentialNo information availableMobility in SoilNo information availableOther Adverse EffectsNo information availableEnvironmental CriteriaNo information available

13. Disposal Considerations

Waste Residues	Dispose the waste according to national and local regulations.
	Do not dump.
Contaminated Containers	Contaminated or empty container/packaging are to be disposed according to
and Packaging	national and local regulations.

14. Transport Information

International Regulation	
UN Classification	Not applicable
Special Precautions	Load the containers in a manner that they are certain not to result in direct
	sunlight exposure, damage, corrosion, leak, while being transported.
	Do not place heavy load on top of the container.

15. Regulatory Information

No Information

16. Other Information

References: 1) Recommendation of Occupational Exposure Limits by Japan Society for Occupational Health

- 2)Thresholds limit values for chemical substances and physical agents and biological exposure indices by ACGIH
- 3) National Institute of Technology and Evaluation
- 1. As evaluations on hazards are not necessary satisfactory, special attention should be paid for use.
- 2. This MSDS, summarizing matters to be attended to, is required for proper use of the product and is intended for normal use.
- 3. Referring to this MSDS, properly use and handle this product on the user's own responsibility.
- 4. The contents of this MSDS are based on information available as of today and our knowledge. The information, data, and evaluations herein are not guaranteed, and in addition, may be revised due to revision of laws or knowledge newly obtained.